The tool is for revising the printer "code page" and updating program

Precondition: printer driver has already been installed on computer.

- Revising printer "code page":
- 1. Open the tool which is in the CD

(\\80 driver and tool\Prj80(Codepage&Program).exe)

2.Operating Prj80(Codepage&Program).exe, as below picture.

SELECT PRINTER 80 Printer	Select printer
PARAMETER LOGO UPDATE	
BAUD RATE: 19200 -	
CODE PAGE: CP437 [U.S.A., Standard Europe] -	Select codepage
DENSITY: NORMAL V CUTTER: ENABLE V	
BUZZON: ENABLE V DRAWER ENABLE V	
CHS/LINE: 48	
DOWNLOAD	

Picture 1

3. "Star → Printer and Fax →80 Printer property → port" Select port from, "usb, TCP/IP, com, LPT", according to the port which user connected with the printer.
4. On picture1, select printer, such as "80 Printer"→ "CODE PAGE", select one from the dropdown list.

5. Click "DOWNLOAD", and you can check if it is revised successfully by printer self-test page.

Updating Program:

1. Operating Prj80(Codepage&Program).exe, as below picture

SELECT PRINTER 80 Printer	Select printer
PARAMETER LOGO UPDATE	
BAUD RATE: 19200 CODE PAGE: CP437 [U.S.A., Standard Europe]	
DENSITY: NORMAL CUTTER: ENABLE BUZZON: ENABLE DRAWER ENABLE	
CHS/LINE: 48	
DOWNLOAD	

Picture 2

2. "Start \rightarrow Printer and Fax \rightarrow 80 Printer Property \rightarrow Port" Select one port from "usb, TCP/IP, com, LPT", according to the port which user connected with the printer.

3. Select Printer on Picture 2, which is marked with red box

4. Click "UPDATE" on Picture 2, and you can see as below picture 3:

SELECT PRINTER 80 Pri	nter 💽
PARAMETER LOGO	UPDATE
UPDATE	

Picture 3

5. Click "UPDATE" on picture 3, and will show as followed picture 4

Open		? 🗙
Look jn:	: 🔞 Desktop 💽 🗲 🛍 📸 🖬 🗸	
	My Documents	
My Recent Documents	Second States (2010)	
Desktop		
My Documents		
My Computer		
S		
My Network Places	File name: 347_COM(600,70,640)_V2.27_8800_AllFullCut	<u>]</u> pen
	Files of type: BINARY FILE(*.bin)	ancel

Picture 4

6. Select the location which the updated program would be put to, and you then you would see as the following picture.

	X
The opera	tion completed successfully
	OK

7.Click "OK" on the above picture, and then the program will start to update, after finishing updating, the printer will end with a short "di" sound.